

DOLOMITICERT SCARL

Authority for the certification of personal protective equipment Zona Industriale Villanova. 7/A

32013 Longarone (BL) Italy Tel.: ++39 437 573407 Fax: ++39 437 573131 E-Mail: info@dolomiticert.it Web: www.dolomiticert.it



Nembro degli accordi di Mutue Signatory of EA, IAF, and ILAC

EU TYPE-EXAMINATION CERTIFICATE

n. EC: 20-0018

In realisation of the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9th of March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

DOLOMITICERT SCARL

authorised from the ministry of economic development and from the ministry of labour and social actors with the decree dated 26th April 2017 **NOTIFIED BODY IDENTIFICATION NUMBER: 2008**

considered the application for EU type-examination no. 200029

, presented in date

22/01/2020

CERTIFIES THAT

the following personal protective equipment model

Personal protective equipment for the prevention against falls from a height -Lanyard for work positioning and restraint

A026

presented by

COFRA S.R.L.

Via dell'Euro 53-57-59 - 76121 BARLETTA BT - Italy

results to be in conformity with the applicable essential requirements included into Annex II of the Regulation (EU) 2016/425 dated 9th of March 2016.

The description of the personal protective equipment model, the normative reference, the verification results and the description of the CE marking on the equipment are described on page 2. 3.4 of the present document.

First issue date:

24/01/2020

Renewal or revision date:

Expiration date:

23/01/2025

Certification Board Manager

Longarone,

24/01/2020

This document consists of no. 4 numbered pages.



EU Type-Examination Certificate no. EC

20-0018

dated

24/01/2020

Hembro degli accordi di Mu EA, IAF, e ILAC

Signatory of EA, IAF, and ILAC

1. Description of the Personal Protective Equipment

Product designation:

A026

Commercial trade name:

COFRA

Intended purpose:

Personal protective equipment for the prevention against falls from a

height - Lanvard for work positioning and restraint

Model:

A026

Reference code:

See notes.

In Conformity with the Standard(s): EN 358:2018

and

PPE Category:

Lanyard material:

Polyester (both sheath and core)

Lanyard adjustment device material: Aluminium

Total weight of the device (g):

A026-1001: 902 g; **A026-1002**: 1005 g; **A026-1003**: 1108 g; **A026-1004**: 1211 g; **A026-1005**: 1726 g; **A026-1006**: 748 g; **A026-1007**: 851 g; **A026-1008**: 954 g; **A026-1009**: 1057 g; **A026-1010**: 1572 g

Lanyard maximum length (m):

A026-1001: 2 m; **A026-1002**: 3 m; **A026-1003**: 4 m; **A026-1004**: 5 m; **A026-1005**: 10 m; **A026-1006**: 2 m; **A026-1007**: 3 m; **A026-1008**: 4 m; **A026-1009**: 5 m; **A026-1010**: 10 m

Lanyard width/diameter (mm):

Diameter: 12 mm

Connector material:

Steel (for "MYGRAB" variants, on both lanyard terminal and adjustment device); Aluminium (for "GRONKED" variants, on both lanyard terminal and adjustment device)

Notes:

Lanyard model "A026", with its variants, is equipped with an adjusting device that permits regulation of its length. The device is designed to prevent falls from a height connecting a body holding device to an anchor point as a means of support for restraint or to an anchor point or structure, by encircling it, for work positioning. Ten variants provided, depending by the maximum length and by the types of connectors provided: "A026-1001 - MYGRAB 2,0 M", "A026-1002 - MYGRAB 3,0 M", "A026-1003 - MYGRAB 4,0 M", "A026-1004 - MYGRAB 5,0 M", "A026-1005 -MYGRAB 10,0 M", "A026-1006 - GRONKED 2,0 M", "A026-1007 - GRONKED 3,0 M", "A026-1008 - GRONKED 4,0 M", "A026-1009 - GRONKED 5,0 M" and "A026-1010 - GRONKED 10,0 M".

Manufacturer's name:

COFRA S.R.L.

Manufacturer's address:

Via dell'Euro 53-57-59 - 76121 BARLETTA BT - Italy

Authorised Representative's name:

Authorised Representative's address:

COFRA S.R.L.

Certificate's holder: Holder's address:


Via dell'Euro 53-57-59 - 76121 BARLETTA BT - Italy



"MYGRAR" variants



"GRONKED" variants





Nembro degli accordi di Mutuo Ricone EA, IAF, e ILAC

Signatory of EA, IAF, and ILAC Mutual Recognition Agreements

2.	Levels of protection offered by the personal protective equipment Applicable Standards:
	EN 358:2018 - "Personal protective equipment for work positioning and prevention of falls from a height - Belts and lanyards for work positioning and restraint"
	1
	1
	The protection equipment A026
	is in conformity with the basical requirements provided by the standard(s) of reference for the particular fields of utilization the device is addressed to.
	EN 358:2018 and /
	Moreover, the protection equipment is in conformity with the specific requirements provided by the connected norm for the particular fields of utilization the device is addressed to: /
	The performance characteristics of the protection equipment are:
	Maximum rated load declared: 150 kg
3	Test results and test examinations are covered by the following test reports:
٥.	
	Dolomiticert S.c.a.r.l. 190766 14/06/2019





Membro degli accordi di Mutuo Rico EA, IAF, e ILAC Signatory of EA, IAF, and ILAC Mutual Recognition Agreements

4. Marking:



Placement of the marking: Label inserted under a plastic cover in correspondence of the knotted terminal, dimensions 65 mm x 30 mm.

5. Declaration for category III personal protective equipment

For category III PPE, this EU Type-Examination Certificate shall be used only in combination with one of the evaluation procedures in accordance with Article 19, letter c), of the Regulation (EU) 2016/425

Applicability for the product covered by this EU Type-Examination Certificate:

YES

Terms and conditions under which the Certificate is issued

- a) Marking and instructions were examined in ^{Italian} The supplying and the obtaining of versions in languages accepted by the countries in which the product is sold are under the complete responsibility of the Manufacturer or of his Authorised Representative.
- b) Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to DOLOMITICERT.
- c) The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by DOLOMITICERT for the EU Certification.
- d) Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
- e) The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
- f) The present Certificate remains property of DOLOMITICERT, which can ask for it back if some of the above mentioned conditions are not respected.

