

DOLOMITICERT SCARL

Authority for the certification of personal protective equipment

Zona Industriale Villanova, 7/A

32013 Longarone (BL) Italy Tel.: ++39 437 573407 Fax: ++39 437 573131 E-Mail: info@dolomiticert.it Web: www.dolomiticert.it



PRD N* 146B

Hembro degli accordi di Mutuo Riconoscimento EA, IAF, e ILAC

Signatory of EA, IAF, and ILAC

Mutual Recognition Agreements

EU TYPE-EXAMINATION CERTIFICATE

n. EC:

20-0206

In realisation of the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9th of March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

DOLOMITICERT SCARL

authorised from the ministry of economic development and from the ministry of labour and social actors with the decree 26th April 2017

NOTIFIED BODY IDENTIFICATION NUMBER: 2008

considered the application for EU type-examination no.

200296

, presented in date

30/09/2020

CERTIFIES THAT

the following personal protective equipment model

Personal fall protection equipment - Lanyard

A023-1000

presented by

COFRA S.R.L.

Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy

results to be in conformity with the applicable essential requirements included into Annex II of the Regulation (EU) 2016/425 dated 9^{th} of March 2016.

The description of the personal protective equipment model, the normative reference, the verification results and the description of the CE marking on the equipment are described on page 2. 3 .4 of the present document.

First issue date:

02/10/2020

Renewal or revision date:

1

Expiration date:

01/10/2025

Certification Board Manager
(Luca Tamburlin)

Longarone,

02/10/2020

This document consists of no. 4 numbered pages.

1. Description of the Personal Protective Equipment

Product Designation:

A023-1000

Commercial Trade:

COFRA

Intended purpose:

Prevention and protection against falls from a height - Lanyard

Product Description:

Lanyard used as a connecting element or component in personal fall protection and prevention systems (i.e. restraint systems, work positioning

systems, rope access systems, fall arrest systems and rescue systems).

Model:

A023-1000

Reference code:

In Conformity with the Standard(s):

EN 354:2010

and /

PPE Category:

III

Lanyard material(s):

Main webbing: Polyester

Stitching material(s):

Polyester

Yarn strength (N/tex):

Main webbing and stitching: more than 0.6 N/tex

Lanyard length (mm):

Fixed length, 480 mm

Lanyard width (mm)

Main webbing: width 45 mm

Lanyard weight (g):

65

Static strength of the device (kN): More than 22 kN

Variants:

Notes:

Lanyard model "A023-1000" is a textile connecting element for personal fall protection and prevention systems, equipped with two terminations, without any length adjustment devices (fixed length). This lanyard can be installed between user's harness and structure anchor points both directly and realizing a hitch knot from the harness side. One only length variant provided (48 cm); one only colour combination provided (red/yellow). This device can be commercialized with the name "BURMA".

Manufacturer's name:

COFRA S.R.L.

Manufacturer's address:

Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy

Authorised Representative's name:

Authorised Representative's address: /

Certificate's holder:

COFRA S.R.L.

Holder's address:

Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy








2.	Levels of protection offered by the personal protective equipment Applicable Standards:	
	EN 354:2010 - "Personal fall protection equipment - Lanyards"	
	1	
	The protection equipment A023-1000 is in conformity with the basical requirements provided by the standard particular fields of utilization the device is addressed to.	d(s) of reference for the
	EN 354:2010 and /	
	Moreover, the protection equipment is in conformity with the specific requir connected norm for the particular fields of utilization the device is addressed to the conformity with the specific requirement of the particular fields of utilization the device is addressed to the conformity with the specific requirement of the conformity with the conformity with the conformity with the conformity with the conformity	
	The performance characteristics of the protection equipment are: Static strength more than 22 kN	
	1	
	1	
	1	
3. Test results and test examinations are covered by the following test reports:		
	Dolomiticert Scarl 150052	12/02/2015

Pag. 3/of 4

4. Marking



Placement of the marking: Label stitched on the base webbing in correspondence of the stitched terminal, dimensions 90 mm x 30 mm.

5. Declaration for category III personal protective equipment

For category III PPE, this EU Type-Examination Certificate shall be used only in combination with one of the evaluation procedures in accordance with Article 19, letter c), of the Regulation (EU) 2016/425

Applicability for the product covered by this EU Type-Examination Certificate:

YES

Terms and conditions under which the Certificate is issued

- a) Marking and instructions were examined in ^{Italian} The supplying and the obtaining of versions in languages accepted by the countries in which the product is sold are under the complete responsibility of the Manufacturer or of his Authorised Representative.
- b) Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to DOLOMITICERT.
- c) The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by DOLOMITICERT for the EU Certification.
- d) Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
- e) The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
- f) The present Certificate remains property of DOLOMITICERT, which can ask for it back if some of the above mentioned conditions are not respected.

Pag. 4 of 4