



DOLOMITICERT SCARL
Authority for the certification of personal protective equipment
Zona Industriale Villanova, 7/A
32013 Longarone (BL) Italy
Tel.: ++39 437 573407 Fax: ++39 437 573131
E-Mail: info@dolomiticert.it
Web: www.dolomiticert.it



PRD N° 1468

Membro degli accordi di Mutuo Riconoscimento
EA, IAF, e ILAC

Signatory of EA, IAF, and ILAC
Mutual Recognition Agreements

EU TYPE-EXAMINATION CERTIFICATE

n. EC: **20-0207**

In realisation of the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9th of March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

DOLOMITICERT SCARL

**authorised from the ministry of economic development and from the ministry
of labour and social actors with the decree 26th April 2017**
NOTIFIED BODY IDENTIFICATION NUMBER: 2008

considered the application for EU type-examination no. **200297** , presented in date **30/09/2020**

CERTIFIES THAT

the following personal protective equipment model

Personal fall protection equipment – Anchor device

A050

presented by

COFRA S.R.L.

Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy

results to be in conformity with the applicable essential requirements included into Annex II of the Regulation (EU) 2016/425 dated 9th of March 2016.

The description of the personal protective equipment model, the normative reference, the verification results and the description of the CE marking on the equipment are described on page 2. 3 .4 of the present document.

First issue date: **02/10/2020**

Renewal or revision date: **/**

Expiration date: **01/10/2025**

Longarone, **02/10/2020**

Certification Board Manager
(Luca Tamburlin)



This document consists of no. 4 numbered pages.

1. Description of the Personal Protective Equipment

Product Designation: A050
Commercial Trade: COFRA
Product Description: Personal fall protection equipment – Anchor device
Intended purpose: Assembly of elements which incorporates one anchor point that doesn't need a structural anchor or a fixing element to fix to the structure; it is intended for use as part of a personal fall protection system, is intended to be removable from the structure and to be part of the anchor system.
Model: A050
Type of anchor device: B
In Conformity with the Standard(s): EN 795:2012 and /
PPE Category: III
Material(s) composing the device: Base webbing and stitching: Polyester

Maximum overall length (mm): A050-1000: 60 cm; A050-1001: 80 cm; A050-1002: 120 cm; A050-1003: 150 cm

Maximum overall width (mm): Base webbing width: 30 mm

Total weight (g): A050-1000: 60 grams; A050-1001: 80 grams; A050-1002: 117 grams; A050-1003: 143 grams

Static strength (kN): More than 18 kN

Variants: Four variants provided, depending by the total length of the device: A050-1000, with a total length of 600 mm, A050-1001, with a total length of 800 mm, A050-1002, with a total length of 1200 mm, A050-1003, with a total length of 1500 mm.

Manufacturer's name: COFRA S.R.L.




Manufacturer's address: Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy

Authorised Representative's name: /

Authorised Representative's address: /

Certificate's holder : COFRA S.R.L.

Holder's address: Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy



2. Levels of protection offered by the personal protective equipment

Applicable Standards:

EN 795:2012 "Personal fall protection equipment - Anchor devices"

/

The protection equipment A050

is in conformity with the basic requirements provided by the standard(s) of reference for the particular fields of utilization the device is addressed to.

EN 795:2012 and /

Moreover, the protection equipment is in conformity with the specific requirements provided by the connected norm for the particular fields of utilization the device is addressed to:

/

The performance characteristics of the protection equipment are:

Static strength more than 18 kN

/

/

/

Notes:

"A050" is a textile type B anchor device, usable by one person and designed to be removed from the structure, without the need of structural anchors or fixing elements to fix to the structure. This anchor device can be installed into existing circular structures both knotting it around the structure, realizing a hitch knot, and doubling it around the structure (hook installation). "A050" is provided into four different length variants (60 cm, 80 cm, 120 cm and 150 cm); one only colour combination provided (black/white). This device can be commercialized with the name "ROCKHAMPTON".

3. Test results and test examinations are covered by the following test reports:

Dolomitcert Scarl

140723

23/12/2014

4. Marking

Placement of the marking: Label stitched on the base webbing in correspondence of the connection stitching, dimensions 150 mm x 30 mm.

5. Declaration for category III personal protective equipment

For category III PPE, this EU Type-Examination Certificate shall be used only in combination with one of the evaluation procedures in accordance with Article 19, letter c), of the Regulation (EU) 2016/425

Applicability for the product covered by this EU Type-Examination Certificate:

YES

Terms and conditions under which the Certificate is issued

- Marking and instructions were examined in Italian. The supplying and the obtaining of versions in languages accepted by the countries in which the product is sold are under the complete responsibility of the Manufacturer or of his Authorised Representative.
- Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to DOLOMITICERT.
- The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by DOLOMITICERT for the EU Certification.
- Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
- The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
- The present Certificate remains property of DOLOMITICERT, which can ask for it back if some of the above mentioned conditions are not respected.